

MUNICIPAL ACCESS PERMIT APPLICATION
(CURB & GUTTER SECTION)

Name of Property Owner _____

Address _____

_____ Phone No. _____

Proposed Access Point:

Located on _____, also known as _____,
(Co. Rd. or CSAH No.) (Street Name)
accessing into Lot _____ of Block _____,
(Number) (Number) (Name)
Subdivision in the City of _____, on the _____ side of
(Name) (Direction)
the street.

For: Residential _____ (Check One)
Small Parcel _____
Business _____
Industrial _____

Attach a sketch on 8 1/2" x 11" paper showing the site with dimensions of opening and dimensions to nearest street intersection.

The Policy of Redwood County concerning municipal access approaches to Redwood County Roads is on the reverse side of this application form.

I hereby certify that I have reviewed the above policy and shall comply with it.

Date

Signature of Applicant

Permission is hereby granted to construct this approach as herein specified and agreed upon by the application, provided the applicant has also received the approval of the City prior to any work being allowed.

Date

County Engineer

Orig: Applicant
Copies: RCHD Maint. Supt.
File

Redwood County Highway Department
635 W. Bridge St., PO Box 6
Redwood Falls, MN 56283
Phone: 507-637-4056 Fax: 507-637-4068

Redwood County Policy

1. A written application for an access approach (entrance) permit shall be processed through the County Highway Engineer's office for each entrance requested.
2. All work shall be performed by the applicant at his expense, or by a contractor hired by him.
3. All work is subject to the approval of the County Engineer.
4. Redwood County reserves the right to have the applicant post a performance bond or security, as judged necessary based on the scope of the work. This will be returned upon satisfactory completion.
5. All gravel base removed must be replaced and thoroughly recompact, with a final thickness equal to original, or greater.
6. All bituminous surfacing removed must be squared off, tack applied to all joints, and replaced with equal, or greater thickness of Mn/DOT bituminous mixture, type specified by the County Engineer.
7. Curb and Gutter removal and replacement is to be per the sketch below. Dowel all new-old joints.